

Type C/USB3.0 Internal HUB

User Manual **Ver. 1.00**

General Description

The HUB is a family of USB 3.0 hub controllers compliant with the USB 3.0 specification revision 1.0. The HUB supports SuperSpeed (SS), Hi-Speed (HS), Full-Speed (FS), and Low-Speed (LS) on all the ports.

Features

- Support USB 3.1 Gen1, compatible with USB 3.0/ USB 2.0
- Support UP-stream Port Type C
- Support USB 3.0 Specification Revision 1.0.
- Support USB Specification Revision 2.0
- Upstream Port support SuperSpeed, High-Speed and Full-Speed Connections
- For Downstream Ports Support SuperSpeed, High-Speed, Full-Speed and Low-Speed Connections
- Implement USB3.0 power management function
- USB2.0 Link Power Management support
- USB Attached SCSI Protocol Revision 1.0 Compliance
- Multiple Transaction Translator Support
- Gang mode Support for Port 2, 3, 4
- Remarkable with Removable or permanently attached
- Self-power and bus-power support
- Industrial temperature range (-40 °C to +85 °C)

Package Contents

- 1 x USB3.0 HUB Bay
- 1 x User Manual
- 1 x USB3.0 Cable
- 1x USB Type-C Cable

Note: Contents may vary depending on country and market.

System Requirements

- Microsoft WHQL-certified for Windows XP/Vista/7/8/8.1
- Compatible with Mac OS 10.9 and Linux kernel version 3.11

Driver Installation

Windows will automatically detect and install the drivers for the USB3.0 to Device.

Note: This device is plug-and-play, so no driver is needed.

Limited Warranty Terms and Conditions

The length of the limited warranty for the product you have purchased is 3-year. If you have additional questions about the length of your warranty you may contact IOCrest's support department via email at support@iocrest.com or support@sybausa.com.

IOCrest warrants our products against defects in material and workmanship for the length of the warranty period which begins to run on the documented date of purchase. If this product proves to be defective within the warranty period, contact IOCrest's support department for information on how to have your product repaired or replaced. IOCrest will not issue a monetary refund for the product.

When returning the product, you must ship the product in its original packaging or in packaging that provides an equivalent degree of protection for the product during shipment. Place your proof of purchase inside the packaging and clearly print the RMA number on the outside of the package. IOCrest's support department will provide you with the RMA number, but you will be responsible for the costs associated with shipping the product to IOCrest.

Return requests that do not contain a proof of purchase, such as a store receipt, will not be processed.